


EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	303	web adj domain	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L2	43196	data adj buffer	US-PGPUB; USPAT	OR	ON	2007/04/09 15:38
L3	0	1 same 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:38
L4	9628	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/09 15:39
L5	11	1 and 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:40
L6	3187203	empty clear new	US-PGPUB; USPAT	OR	ON	2007/04/09 15:40
L7	2213	6 near5 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:41
L8	16	7 and 4	US-PGPUB; USPAT	OR	ON	2007/04/09 15:42
L9	257	data near2 buffer near2 pool	US-PGPUB; USPAT	OR	ON	2007/04/09 15:45
L10	0	1 and 9	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L11	2447	buffer near2 pool	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L12	1	11 and 1	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L13	225	(buffer adj pool).clm.	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L14	146	(web near2 domain).clm.	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L15	1870	web near2 domain	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L16	1	13 and 14	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L17	2	13 and 15	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L18	34211	data near2 buffer	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:46

EAST Search History

L19	163	web near2 domain	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:46
L20	2	18 and 19	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:47
L21	4114	web near2 log	US-PGPUB; USPAT	OR	ON	2007/04/09 15:47
L22	0	21 and 19	US-PGPUB; USPAT	OR	ON	2007/04/09 15:47


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 87,100 for **web domain buffer** . (0.14 seconds)


- All Results** [Multiple roles for the C-terminal domain of eIF5 in translation initiation complex assembly and ... - group of 4 »](#)
W Focus, NPG Contact - The EMBO Journal, 2001 - palgrave-journals.com
... of GTP bound to eIF2, dependent on the eIF5 N-terminal domain (white half circle ...
by the manufacturer and dialyzed against the GST pull-down buffer (Asano et al ...
[Cited by 32](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [O Journals](#) [A stateful intrusion detection system for World-Wide Web servers - group of 14 »](#)
TOC View - Computer Security Applications Conference, 2003. Proceedings ..., 2003 - ieeexplore.ieee.org
... The STAT framework makes cross-domain intrusion de ... More precisely, an im- proved
buffer overflow attack ... The scenario examines both web server access logs and ...
[Cited by 26](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
- [J Embury](#) [Characterization and crystallization of the helicase domain of bacteriophage T7 gene 4 protein - group of 4 »](#)
LE Bird, K Hakansson, H Pan, DB Wigley, O Journals - Nucleic Acids Research - Oxford Univ Press
... This suggests that there may be a common structural domain for helicases of the
DnaB ... The cell pellet was resuspended in buffer A [50 mM Tris-HCl, pH 7.5, 2 mM ...
[Cited by 32](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [Y Hayashi](#) [Detection of DNA breaks in apoptotic cells utilizing the DNA binding domain of poly \(ADP-ribose\) ... - group of 4 »](#)
DS Rosenthal, R Ding, CMG Simbulan-Rosenthal, B ... - Nucleic Acids Research - Oxford Univ Press
... the potential to utilize the unique aspect of the PARP DNA binding domain as a ... cell
lysate was loaded onto a Ni-NTA column pre-equilibrated in buffer A (10 mM ...
[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [K Wong](#) [... associated kinase and change in the phosphorylation sites on the C-terminal domain of RNA polymerase ... - group of 5 »](#)
MF Dubois, M Vincent, M Vigneron, J Adamczewski, ... - Nucleic Acids Research - Oxford Univ Press
... The beads were resuspended in 15 [μl] of buffer D supplemented with non ... 1 [μl]g
of the ctd4 oligopeptide which mimics the RPB1 C-terminal domain; this peptide ...
[Cited by 39](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [T Itoh](#) [Scalable socket buffer tuning for highperformance Web servers - group of 15 »](#)
G Hasegawa, T Terai, T Okamoto, M Murata - Proceedings of IEEE ICNP 2001, 2001 - doi.ieeecomputersociety.org
... Thus, when there are many connections on the Web server requesting small documents,
the buffer assignment of the E-ATBT mechanism may become unstable as the ...
[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
- [The amino-terminal domain of the transcription termination factor TTF-I causes protein ... - group of 4 »](#)
EE Sander, SW Mason, C Munz, I Grummt, O Journals - Nucleic Acids Research - Oxford Univ Press
... in repressing DNA binding activity when fused to a heterologous DNA binding domain. ...
were harvested, rinsed in PBS and resuspended in 3 vol lysis buffer (50 mM ...
[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [Driving AMPA Receptors into Synapses by LTP and CaMKII: Requirement for GluR1 and PDZ Domain ... - group of 13 »](#)
Y Hayashi, SH Shi, JA Esteban, A Piccini, JC ... - Science's STKE, 2000 - stke.sciencemag.org
... the COOH-terminus of GluR1 and PDZ domain proteins ... the absolute amplitude of the
response [Web figure 1 ... pooled and solubilized in homogenization buffer (100 μl ...
[Cited by 450](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [Hot-spot mutants of p53 core domain evince characteristic local structural changes - group of 8 »](#)
KB Wong, BS DeDecker, SMV Freund, MR Proctor, M ... - 1999 - National Acad Sciences
... Search for citing articles in: ISI Web of Science (43). ... preequilibrated with 100
ml of 20 mM Tris buffer (pH 7.2 ... p53 core domain was eluted with a 0.1-0.3 M NaCl ...
[Cited by 63](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
- [The ZIN/POZ domain of ZF5 is required for both transcriptional activation and repression - group of 5 »](#)
J Kaplan, K Calame, O Journals - Nucleic Acids Research - Oxford Univ Press
... at 2500 g at 4 °C, resuspended in Western substrate buffer (WSB) (50 mM Tris ... of
the Gal4 fusion proteins, anti-yeast Gal4 DNA binding domain antibody (Upstate ...
[Cited by 38](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page: **12345678910** **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 16,700 for [web domain log buffer](#) . (0.14 seconds)

All Results

[An analysis of the TUX web server - group of 11 »](#)

C Lever, SN Alliance, SP Molloy - Ann Arbor - honeymen.org

... Cached **web** objects are managed as a part ... [http://server.your.domain/module?argument](#)

where module ... [int \(*send_reply\) \(http_req_t *req\); int \(*log\) \(http_req_t *req ...](#)

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[K Joshi](#)

[J Loeffler](#)

[P Danzig](#)

[F Menczer](#)

[Y Hayashi](#)

[Efficient prediction of web accesses on a proxy server](#)

W Lou, H Lu - Proceedings of the eleventh international conference on ..., 2002 - portal.acm.org

... a navigational model that captures the user's navigation patterns in proxy **log**. ... proxy

logs are very large and cover a wide **domain** of **web**-pages from many ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Warehousing and mining Web logs - group of 8 »](#)

KP Joshi, A Joshi, Y Yesha, R Krishnapuram - ... the 2nd international workshop on Web information and data ..., 1999 - portal.acm.org

... we would enter '%.edu' on the **Domain** field of ... to populate specific fact tables with

web log as they ... the CGI phf script, or attempted **buffer** overflow attacks ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[A C-terminal domain of the membrane copper pump Ctr1 exchanges copper \(I\) with the copper chaperone ... - group of 4 »](#)

Z Xiao, AG Wedd - gene - rsc.org

... First published as an Advance Article on the web 19th February ... 3 estimates **log** K

ex = 20.20 (K **ex** 0.6 ... Structural studies of the Ctr1c **domain** are in progress, as ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Rapid Killing of Streptococcus pneumoniae with a Bacteriophage Cell Wall Hydrolase - group of 7 »](#)

JM Loeffler, D Nelson, VA Fischetti - 2001 - sciencemag.org

... remained colonized throughout the experiment (mean **log** 10 3.0 ... two-way analysis of

variance (ANOVA) [**Web** fig ... trapped inside the host, the binding **domain** of lytic ...

[Cited by 83](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[NetCache architecture and deployment - group of 12 »](#)

P Danzig - Computer Networks and ISDN Systems, 1998 - wwwcache.ja.net

... Disk I/O **Buffer** Pool WAFL/ONTAP ... through password-protected, access-controlled **web**

pages ... Squid" format, for compatibility with public **domain log** analysis tools ...

[Cited by 48](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Dynamic data buffer allocation tuning](#)

CH Elving - 2002 - freepatentsonline.com

... In this example, name identifier 302 indicates that **buffer** file 218 has been

assigned to **buffer log** data for the **web** site **domain** SITE_A.COM. ...

[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[A stateful intrusion detection system for World-Wide Web servers - group of 14 »](#)

TOC View - Computer Security Applications Conference, 2003. Proceedings ..., 2003 - ieeeexplore.ieee.org

... overflow exploits a vulnerability in the **web** server code, it is possible that a

log entry would ... The STAT framework makes cross-**domain** intrusion de- tection ...

[Cited by 26](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[architecture and internal design of the AUC-Abyss Web server - group of 3 »](#)

A AMREL-KADI, KE LY, R NOHAELSHARAWY, M FAMAZEN - usenix.org

... Markup Language (XML), HTTP, and **Domain** Name System ... the main core controller of the

Web server and ... responsible for storing the transaction in the **log buffer**. ...

[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Topical web crawlers: Evaluating adaptive algorithms - group of 10 »](#)

F Menczer, G Pant, P Srinivasan - ACM Transactions on Internet Technology (TOIT), 2004 - portal.acm.org

... American Birling Association—Created to promote **log** rolling boom ... to collect pages


from university **Web** sites or ... retrieved pages to the .edu **domain**, while the ...

[Cited by 38](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ►
 Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles Recent articles

Results 1 - 10 of about 9,900 for web domain threaded. (0.13 seconds)

All Results

[R Bentley](#)

[A Heydon](#)

[J Trevor](#)

[M Najork](#)

[W Appelt](#)

[Mercator: A scalable, extensible Web crawler - group of 29 »](#)

A Heydon, M Najork - World Wide Web, 1999 - Springer

... is a well-documented bottleneck of most Web crawlers. ... of the Berkeley Internet Name Domain (BIND) distribution ... we wrote our own multi-threaded DNS resolver ...

Cited by 184 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[A Reference Architecture for Web Servers - group of 16 »](#)

AE Hassan, RC Holt - 7th Working Conference on Reverse Engineering, Brisbane, ..., 2000 - doi.ieeecomputersociety.org

... OSAL OS Layer NS Thread (Java support) ... architecture for web servers will be helpful in providing a better understanding for the web server domain. ...

Cited by 20 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Balancing volume, quality and freshness in web crawling - group of 4 »](#)

R Baeza-Yates, C Castillo - Soft Computing Systems-Design, Management and Applications, 2002 - ciw.cl

... Networking Networking (Multi (Multi-threaded) threaded) Scheduler Scheduler ... can be estimated for most Web servers 1 ... 12 1 http://host.domain.com/path/file.html ...

Cited by 11 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Multi-threaded web based user inbox for report management - group of 3 »](#)

CY Devine, TE Dollar, WJ Munguia - US Patent 6,385,644, 2002 - Google Patents

Page 1. United States Patent Devine et al. (54) MULTI-THREADED WEB BASED USER INBOX FOR REPORT MANAGEMENT (75) Inventors: Carol Y ...

Cited by 14 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Leveraging program analysis for Web site reverse engineering - group of 3 »](#)

HM Kienle, HA Muller - Web Site Evolution, 2001. Proceedings. 3rd International ..., 2001 - ieeexplore.ieee.org

... However, executing multi-threaded code in the Web site domain might exhibit certain patterns, which then can be exploited by specifically tailored analyses ...

Cited by 6 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[An embedded domain-specific language for type-safe server-side web scripting - group of 7 »](#)

P Thiernann - ACM Transactions on Internet Technology (TOIT), 2005 - portal.acm.org

... Despite the very specific problems of the Web programming domain, it is not necessary to design and implement a language from scratch. ...

Cited by 8 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Web crawler system using parallel queues for queuing data sets having common address and concurrently ... - group of 3 »](#)

MA Najork, CA Heydon - US Patent 6,377,984, 2002 - Google Patents

... yet been enqueued or processed by the web crawler ... into a host identifier "H" using the domain name system ... The thread then determines whether the main FIFO queue ...

Cited by 5 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[A Runtime System for Interactive Web Services - group of 11 »](#)

C Brabrand, A Moeller, A Sandholm, MI Schwartzbach - WWW8 / Computer Networks, 1999 - www8.org

... is really a collection of tiny domain-specific languages ... on different aspects of interactive web services. ... the concurrent behavior, a thread may synchronize ...

Cited by 25 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[Rapid Reverse DNS Lookups for Web Servers - group of 2 »](#)

W LeFebvre, K Craig - usenix.org

... The back end DNS question thread pops addresses off this ... Rapid DNS has provided the CNN Web Farm with a viable mechanism for obtaining client domain names. ...

Cited by 3 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[System and method for enforcing politeness while scheduling downloads in a web crawler - group of 3 »](#)

MA Najork, CA Heydon - US Patent 6,321,265, 2001 - Google Patents

... The enqueue operation, performed by a thread executing the ... h" during the course of downloading web pages (160 ... a host identifier "H" using the domain name system ...

Cited by 4 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Go o o o o o o o o o o g l e ►

Result Page: **12345678910** [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



Web Images Video News Maps more »

Advanced Scholar Search
 Scholar Preferences
 Scholar Help

Scholar All articles Recent articles

Results 1 - 10 of about 12,300 for web domain threaded logging. (0.15 seconds)

- All Results** ... of **Web** Frequent Patterns and User Characteristics from **Web** Access Logs: A Framework for Dynamic **Web** ... - group of 5 »
 S Dua, E Cho, SS Iyengar - Proceedings of the 3rd IEEE Symposium on Application- ..., 2000 - doi.ieeecs.org
- A Weinberg** ... Y j 2. If $R_j \neq Y_n$, a backward access path, derived the **web domain** knowledge
J Hu ... flow of data paths of accesses URLs in the identification of **Log thread**. ...
P Thiemann Cited by 19 - Related Articles - Web Search - Import into BibTeX
- S Dua** An analysis of the TUX **web** server - group of 11 »
D Schmidt C Lever, SN Alliance, SP Molloy - Ann Arbor - honeyman.org
 ... Pass through the **thread**'s housekeeping event loop - check ... Cached **web** objects are
 managed as a part ... <http://server.your.domain/module?argument> where module ...
 Cited by 14 - Related Articles - View as HTML - Web Search - Import into BibTeX
- An embedded **domain**-specific language for type-safe server-side **web** scripting - group of 7 »
 P Thiemann - ACM Transactions on Internet Technology (TOIT), 2005 - portal.acm.org
 ... 1 Short for **Web log**, a blog is a **Web** page that serves as a publicly accessible personal
 journal ... Embedded **Domain**-Specific Language for **Web** Scripting ...
 Cited by 8 - Related Articles - Web Search - Import into BibTeX
- Balancing volume, quality and freshness in **web** crawling - group of 4 »
 R Baeza-Yates, C Castillo - Soft Computing Systems-Design, Management and Applications, 2002 - ciw.cl
 ... Networking Networking (Multi (Multi-**threaded**) **threaded**) Scheduler Scheduler ... can
 be estimated for most **Web** servers 1 ... 12 1 <http://host.domain.com/path/file.html> ...
 Cited by 11 - Related Articles - View as HTML - Web Search - Import into BibTeX
- Palantir: A Visualization Tool for the World Wide **Web** - group of 11 »
 N Papadakis, EP Markatos, AE Papathanasiou - Proceedings INET, 1998 - ii.uib.no
 ... The third **thread** deals with the translation of host names ... toolset (Pablo and Avatar)
 into a new **domain**: WWW traffic ... that can be easily used by **web** masters and ...
 Cited by 10 - Related Articles - Cached - Web Search - Import into BibTeX
- Developing a high-performance **web** server in Concurrent Haskell - group of 4 »
 S MARLOW - Journal of Functional Programming, 2003 - Cambridge Univ Press
 ... to Haskell are particularly useful for this problem **domain**: ... Developing a
 high-performance **web** server in ... The **logging thread** removes items from the channel ...
 Cited by 2 - Related Articles - Web Search - Import into BibTeX - BL Direct
- JAWS: A Framework for High Performance **Web** Servers - group of 19 »
 J Hu, D Schmidt - **Domain**-Specific Application Frameworks: Frameworks ... - lisoleg.net
 ... the **Thread**-per-Request, **Thread** Pool, and **Thread**-per-Session ... globally accessible
 resources in a **Web** server. Although this pattern is **domain**-independent and thus ...
 Cited by 17 - Related Articles - View as HTML - Web Search - Import into BibTeX
- A Reference Architecture for **Web** Servers - group of 16 »
 AE Hassan, RC Holt - 7th Working Conference on Reverse Engineering, Brisbane, ..., 2000 - doi.ieeecomputersociety.org
 ... OSAL OS Layer NS **Thread** (Java support) ... architecture for **web** servers will be helpful
 in providing a better under- standing for the **web** server **domain**. ...
 Cited by 20 - Related Articles - Web Search - Import into BibTeX
- Mercator: A scalable, extensible **Web** crawler - group of 29 »
 A Heydon, M Najork - World Wide **Web**, 1999 - Springer
 ... part of the Berke- ley Internet Name **Domain** (BIND) distribution ... Performing a random
 walk of the **Web** is quite ... only the URLs dis- covered on each **thread**'s most ...
 Cited by 184 - Related Articles - Web Search - Import into BibTeX - BL Direct
- Fault tolerant **Web** service - group of 5 »
 D Liang, CL Fang, C Chen, F Lin - Software Engineering Conference, 2003. Tenth Asia-Pacific, 2003 - ieeexplore.ieee.org
 ... of the service group, and publishes the **web** service to ... version="1.0" location="H2.
 our.**domain**::8080" /> </WSG ... the **log** while the other **thread** returns the ...
 Cited by 15 - Related Articles - Web Search - Import into BibTeX

Google

Result Page: 12345678910 Next

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google